

Work Order ID 78902

January-17-12 11:52:20 AM

78902

Page 1

Item ID: D3536-25 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Gasket
 Start Date: 17/01/2012 Start Qty: 12.00 ***12*** Cust Item ID:
 Required Date: 31/01/2012 Req'd Qty: 12.00 ***12*** Customer:
 Reference:

Approvals: Process Plan: MLJ Date: 12/01/12 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3536	Rev A								

100 0.00
100 FLOW WATER JET
 Waterjet Memo 0.00 FB12-2-1
 FLOW CNC Waterjet 1-Cut as per Dwg D3536 Dwg Rev: A Prog Rev: A 2-
 Deburr if necessary (24)

110 0.00
110 QC2- Inspect parts off machine FAI/FAIB
 QC Memo 0.00 FB12-2-1
 Quality Control

120 0.00
120 QC8- Inspect parts - second check
 QC Memo 0.00 counts
 Quality Control (24) FB12-2-1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 78902

78902

Page 2

January-17-12 11:52:20 AM

Item ID: D3536-25 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Gasket
 Start Date: 17/01/2012 Start Qty: 12.00 ***12*** Cust Item ID:
 Required Date: 31/01/2012 Req'd Qty: 12.00 ***12*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location 89	0.00							
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

12-02-2
24

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

January-17-12 11:52:24 AM

Page 1

Work Order ID: 78902

78902

Parent Item: D3536-25

D3536-25

Parent Item Name: Gasket

Start Date: 17/01/2012

Required Date: 31/01/2012

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP Rev:A New Issue 07-02-14 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MNEO60S.063		Purchased	No			100	sf	682.0000	0.5956	7.941333	14.		
									**	IB17-2-1			
MNEO60S 063													
NEOPRENE SHEET 0.063													

Location

Loc Qty

Loc Code

MAT052

682

119130

3

119777

279

119792

400

119777

(24)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 78902
Description: Gasket		Part Number: D3536-25
Inspection Dwg: D3536	Rev: A	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
21.80	+/-0.030	21.80	✓		✓ B01	
16.35	+/-0.030	16.35	>		T	
10.90	+/-0.030	10.90	✓		T	
5.45	+/-0.030	5.45	✓		T	
6.00	+/-0.030	6.00	>		T	
6.75	+/-0.030	6.75	✓		T	
12.75	+/-0.030	12.75	✓		T	
1.89	+/-0.030	1.888	✓		V B02	
0.30	+/-0.030	324	✓		V	
0.30	+/-0.030	323	✓		V	
Ø0.19	+0.005/-0.001	.191	✓		V	

Measured by: RB	Audited by: J	Prototype Approval:	N/A
Date: 12-2-1	Date: 12/02/02	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	07.06.13	New Issue	KJ/JLM	RB

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


DART

RELEASED


09.02.12

SHOULDER
RETURN TO
ENGINEER
UNCONTROLLED
SUBJECT TO APPROVAL
WITH THE OFFICE
WORK CENTER

NO. 38902 M.L.J
12/01/17



D3536-11 GASKET



D3536-13 GASKET

NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NE060-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT CL
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	CB	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. A
PH	PH	D3536	SHEET 1 OF 6
DATE	TITLE	SCALE	
06.10.25	GASKET	1:10	
A	06.10.25	NEW ISSUE	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

DART


DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	CB	PORT HADLOCK, WA	
CHECKED AH	APPROVED AH	DRAWING NO. D3536	REV. A
DATE 06.10.25	TITLE GASKET	SHEET 2 OF 6	
	SCALE 1:10		

RELEASED

070212



D3536-15 GASKET



D3536-21 GASKET

NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


78902

DART

DESIGN CB	DRAWN BY CB	DART AEROSPACE USA, INC.
CHECKED PH	APPROVED PH	PORT HADLOCK, WA
DATE 06.10.25	TITLE GASKET	DRAWING NO. D3536
		REV. A
		SHEET 3 OF 6
		SCALE 1:10



D3536-23 GASKET



D3536-25 GASKET

NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

Copyright © 2006 by DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

78902




DESIGN CB	DRAWN BY CB	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED PH	APPROVED PH	DRAWING NO. D3536	REV. A
DATE 06.10.25	TITLE GASKET	SHEET 4 OF 6	
		SCALE 1:10	


07.02.12



D3536-31 GASKET



D3536-33 GASKET



D3536-35 GASKET

NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

Copyright © 2006 by DART Aerospace USA, Inc.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART Aerospace USA, Inc.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries

78902

DART

DESIGN	C.B.	DRAWN BY	C.B.	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	TITLE	D3536	REV. A
			GASKET	SHEET 5 OF 6
				SCALE 1:10

07.02.02
CH



NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO80-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

Copyright © 2006 by DART Aerospace USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART Aerospace USA, INC.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

DART

DESIGN	CB	DRAWN BY	CB	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	TITLE	D3536	REV. A
			GASKET	SHEET 6 OF 6
				SCALE
				1:10

78902


07 Oct 12



D3536-41 GASKET

NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries